

# Turkish Journal of Anaesthesiology & Reanimation

Volume 51 · Issue 4 · August 2023

Atrial Fibrillation and Perioperative Inflammation (FIBRILLAMMED Study): A Retrospective Analysis of the Predictive Role of Preoperative Albumin-Adjusted Platelet-Leukocytic Indices in OPCABG Rohan Magoon, Iti Shri, Ramesh C. Kashav, Souvik Dey, Jasvinder K. Kohli, Vijay Grover, Vijay Gupta Page 331

Clinical Experience for Modified Thoracoabdominal Nerve Block Through Perichondrial Approach (M-TAPA) in Five Patients. Dermatomal Evaluation and Application of Different Volumes: A Case Series and Review of Literature Bahadır Çiftçi, Hande Güngör, Selçuk Alver, Ayşe Nurmen Akın, Yaşar Özdenkaya, Serkan Tulgar Page 354







# **Chief Editor**

#### Aslı Dönmez®

University of Health Sciences, Ankara Etlik City Hospital, Ankara, Turkey

# **Associate Editors**

#### Necati Gökmen®

Dokuz Eylül University School of Medicine, İzmir, Turkey

#### Pakize Kırdemir

Süleyman Demirel University School of Medicine, Isparta, Turkey

# Özge Köner®

Yeditepe University School of Medicine, İstanbul, Turkey

#### **Section Editors**

# **Airway Management**

#### Kamil Toker®

Bahçeşehir University School of Medicine, İstanbul, Turkey

#### Cardiovascular and Thoracic Anaesthesia

#### Aslı Demiro

University of Health Sciences, Ankara, Turkey

# Geriatric Anaesthesia

# Fatiş Altıntaş®

İstanbul University, Cerrahpaşa School of Medicine, İstanbul, Turkey

# **Intensive Care**

#### Beliz Bilgili®

Marmara University School of Medicine, İstanbul, Turkey

#### Neuroanaesthesia

#### Başak Ceyda Meço®

Ankara University School of Medicine, Ankara, Turkey

#### Obstetric Anaesthesia

#### Tülay Şahin®

Kocaeli University School of Medicine, İzmir, Turkey

# Orthopaedic Anaesthesia

# Nezih Sertöz®

Ege University School of Medicine, İzmir, Turkey

#### **Outpatient Anaesthesia**

# Levla İvilikci

Dokuz Eylül University School of Medicine, İzmir, Turkey

#### Pain

#### Meltem Uyar®

Ege University School of Medicine, İzmir, Turkey

#### Paediatric Anaesthesia

#### Serpil Ustalar Özgen®

Acıbadem University School of Medicine, İstanbul, Turkey

#### Perioperative Care

# Oya Yalçın Çok®

Penn State College of Medicine Milton S. Hershey Medical Center Hershey, PA, USA

#### Regional Anaesthesia

#### Yavuz Gürkan®

Koç University School of Medicine, Kocaeli, Turkey

## Social Media Editor

#### Ceyda Özhan Çaparlar®

University of Health Sciences, Ankara Etlik City Hospital, Ankara, Turkey



# Consultants in Biostatistics

#### Naci Murato

Ondokuz Mayıs University Department of Industrial Engineering, Samsun, Turkey

#### Ferruh Ayoğlu®

Zonguldak Bülent Ecevit University Faculty of Medicine, Zonguldak, Turkey

#### Pınar Günel®

Sanko University School of Medicine, Gaziantep, Turkey

# Fatma Ezgi Cano

Katip Celebi University School of Medicine, İzmir, Turkey

# Gülser Çalışkan®

University of Verona, Verona, Italy

#### **Editorial Board**

#### Jan Bakker

Division of Pulmonary, Allergy, and Critical Care, Columbia University College of Physicians and Surgeons; Department of Pulmonary and Critical Care, New York University, Bellevue Hospital, New York, USA; Department of Intensive Care Adults, Erasmus MC University Medical Center, Rotterdam, Netherlands

#### Zeev Goldik

Department of Anaesthesia and Intensive Care, Post-Anaesthesia Care Unit, Lady Davis Carmel Medical Centre, Haifa, Israel

#### Can İnce

Department of Intensive Care Adults, Erasmus MC University Medical Centre, Rotterdam, The Netherlands

#### Jan Peter Jantzen

Department Anaesthesiology, Intensive Care and Pain Center, School of Medicine, Johannes Gutenberg University, Mainz, Germany

#### **Zsolt Molnar**

Department of Anaesthesia and Intensive Therapy, Szeged University, Szeged, Hungary

#### **Rolf Rossaint**

Department of Anaesthesiology, Medical Faculty of University, Aachen, Germany

## Philippe Scherpereel

Department of Anaesthesiology and Reanimation, Lille Region University Hospital, Lille, France

#### Alparslan Turan

Department of Outcomes Research, Anesthesiology Institute Cleveland Clinic, Ohio, USA

#### Ashish K. Khanna

Department of Anesthesiology, Section on Critical Care Medicine, Wake Forest School of Medicine, Wake Forest Baptist Health, Winston-Salem, North Carolina, USA

# Juan P. Cata

Department of Anesthesiology and Perioperative Medicine, MD Anderson Cancer Center, Houston, Texas, USA

# Kurt Ruetzler

Department of Outcomes and General Anesthesiology, Cleveland, Ohio, USA



Publisher Contact
Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1
34093 İstanbul, Turkey
Phone: +90 (530) 177 30 97
E-mail: info@galenos.com.tr/yayin@galenos.com.tr
Web: www.galenos.com.tr Publisher Certificate Number: 14521

Publishing Date: August 2023 E-ISSN: 2667-6370 International scientific journal published bimonthly.



# Aims and Scope

The Turkish Journal of Anaesthesiology and Reanimation (Turk J Anaesthesiol Reanim) is the open access, online-only, and scientific publication organ of the Turkish Society of Anaesthesiology and Reanimation. The journal is published in accordance with independent, unbiased, and double-blind peer review principles. The journal is published bimonthly, in February, April, June, August, October, and December.

The publication language of the Turkish Journal of Anaesthesiology and Reanimation is English, and the journal requires UK spelling. When preparing their manuscript, authors should use British spellings throughout. However, the journal welcomes manuscripts both in Turkish and English for evaluation; however authors of articles written in Turkish are required to provide the journal with the English version of their accepted article prior to publication.

The aim of the journal is to contribute to the literature and field of anaesthesiology by publishing clinical and experimental research articles, case reports, letters to the editor, study protocols, and scientific conference proceedings that are prepared in accordance with the ethical guidelines in the fields of anaesthesiology, intensive care, and pain therapy. As of 2022, Turkish Journal of Anaesthesiology and Reanimation will not give as much priority to case reports and letters to the editor in the evaluation and publication process. Before submitting your manuscript, please take this into account.

The target audience of the journal includes specialists and medical professionals working in the fields of anaesthesiology, intensive care, and pain therapy.

The editorial and publication processes of the journal are shaped in accordance with the guidelines of the International Committee of Medical Journal Editors (ICMJE), World Association of Medical Editors (WAME), Council of Science Editors (CSE), Committee on Publication Ethics (COPE), European Association of Science Editors (EASE), and National Information Standards Organization (NISO). The journal is in conformity with the Principles of Transparency and Best Practice in Scholarly Publishing (doaj.org/bestpractice).

The Turkish Journal of Anaesthesiology and Reanimation is indexed in PubMed Central, Web of Science - Emerging Sources Citation Index, China National Knowledge Infrastructure (CNKI), TUBITAK ULAKBIM TR Index, EMBASE, Scopus, EmCare, CINAHL, ProQuest, Gale.

Processing and publication are free of charge with the journal. No fees are requested from the authors at any point throughout the evaluation and publication process. All manuscripts must be submitted via the online

submission system, which is available at www.turkjanaesthesiolreanim. org. The journal guidelines, technical information, and the required forms are available on the journal's web page.

All expenses of the journal are covered by the Turkish Society of Anaesthesiology and Reanimation. Potential advertisers should contact the Editorial Office. Advertisement images are published only upon the Editor-in-Chief 's approval. Statements or opinions expressed in the manuscripts published in the journal reflect the views of the author(s) and not the opinions of the Turkish Society of Anaesthesiology and Reanimation, editors, editorial board, and/or publisher; the editors, editorial board, and publisher disclaim any responsibility or liability for such materials.

#### Open Access Statement

The Turkish Journal of Anaesthesiology and Reanimation is an open access publication, and the journal's publication model is based on Budapest Open Access Initiative (BOAI) declaration. All published content is available online, free of charge at https:// turkjanaesthesiolreanim. org/EN. Authors retain the copyright of their published work in The Turkish Journal of Anaesthesiology and Reanimation. The journal's content is licensed under a Creative Commons Attribution (CC BY) 4.0 International License which permits third parties to share and adapt the content for any purpose by giving the apropriate credit to the original work.

You can find the current version of the Instructions to Authors at: https://turkjanaesthesiolreanim.org/en/instructions-to-authors- 1029.

All published content is available online, free of charge at www. turkjanaesthesiolreanim.org.



Chief Editor: Aslı Dönmez

Address: University of Health Sciences, Ankara Etlik City Hospital,

Ankara, Turkey

**E-mail:** aslidonmez@hotmail.com **Web:** www.turkjanaesthesiolreanim.org

**Publisher:** Galenos Publishing House

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1

34093 İstanbul, Turkey **Phone:** +90 (530) 177 30 97

E-mail: info@galenos.com.tr/yayin@galenos.com.tr

Web: www.galenos.com.tr



# **Contents**

Review Articles
Perioperative Care
Vasoplegic Syndrome and Anaesthesia: A Narrative Review
Other
Safety in Healthcare: From the Flight Deck to the Operating Room
Original Articles
Obstetric Anaesthesia
Effect of Intrathecal Morphine on Postdural Puncture Headache in Obstetric Anaesthesia
Obstetric Anaesthesia
The Efficacy of Dural Puncture Epidural Performed by 27-gauge Whitacre Needle in Labour Epidural Analgesia: Randomized Single-Blinded Controlled Study
Pain
Assessment of Factors Affecting the Preference of Pain Medicine Subspecialty Choices and Training Course in Turkey: A Cross-Sectional Survey Study
Airway Management
Nasogastric Tube Insertion in Intubated Patients: Comparison of Three Different Positions; Standard Sniffing Position, Additional Flexion of the Neck, and Standard Sniffing Position with Lateral Neck Pressure
Cardiovascular and Thoracic Anaesthesia
Preoperative Anemia and Female Gender are Risk Factors for Transfusion in Patients Undergoing Coronary Artery Bypass Grafting with a Restrictive Transfusion Strategy
Cardiovascular and Thoracic Anaesthesia
Atrial Fibrillation and Perioperative Inflammation (FIBRILLAMMED Study): A Retrospective Analysis of the Predictive Role of Preoperative Albumin-Adjusted Platelet-Leukocytic Indices in OPCABG



# **Contents**

Other
A Feasible Web-Conference-Style Remote Simulation using Demonstration Video Clips in Anaesthesia under the COVID-19 Outbreaks: A Preliminary Survey Study
Taki Rojina, Tua Rawasi
Paediatric Anaesthesia
Comparison of Clinical Performance of C-MAC Video Laryngoscope Guided vs Blind Placement of I-Gel® in Paediatric Patients: A
Randomized Controlled Open-Label Trial
Case Reports
Regional Anaesthesia
Clinical Experience for Modified Thoracoabdominal Nerve Block Through Perichondrial Approach (M-TAPA) in Five Patients.  Dermatomal Evaluation and Application of Different Volumes: A Case Series and Review of Literature
Paediatric Anaesthesia
Mode of Mechanical Ventilation in a Case of Venolymphatic Malformation: Spontaneous-Saves, Positive-Precludes
Letters to the Editor
Cardiovascular and Thoracic Anaesthesia
Comment on: "Transversus Thoracic Muscle Plane Block for Attenuating the Haemodynamic Response to Median Sternotomy" $\bf 362$ Raghuraman M. Sethuraman
Cardiovascular and Thoracic Anaesthesia
Authors' Response: Comment on: "Transversus Thoracic Muscle Plane Block for Attenuating the Haemodynamic Response to Median
Sternotomy"
Regional Anaesthesia
Social Media Use Amongst Regional Anaesthesia and Pain Practitioners and Residents: Standardization and Ethical Considerations366 Serkan Tulgar, Ali Ahıskalıoğlu, David Terence Thomas, Alessandro De Cassai, Yavuz Gürkan
Intensive Care
A Simple and Novel Modification of the Nebulization Mask to Improve Nebulization in the Supine Position